



# Interior Door Catalog

The Best  
Windows  
and Doors  
in its Class

# CONTENT

<b>TYPES OF VENEERS .....</b>	<b>4</b>
<b>DOOR STRUCTURE .....</b>	<b>5</b>
<b>BLACK SERIES.....</b>	<b>6</b>
<b>PRESTIGE SERIES .....</b>	<b>7-15</b>
<b>PANEL DOORS .....</b>	<b>16-21</b>
<b>LACQUERED DOORS .....</b>	<b>23</b>
<b>APARTMENT ENTRANCE DOORS.....</b>	<b>24-26</b>
<b>DOOR FRAME SYSTEMS .....</b>	<b>27-29</b>
<b>SLIDING SYSTEM .....</b>	<b>30</b>
<b>LAMELLAS .....</b>	<b>31</b>
<b>ABOUT OUR PRODUCT .....</b>	<b>32</b>

# MANUFACTURER OF EUROPEAN STYLE WINDOWS & DOORS EURO WINDOW LLC

As a privately-owned company, we are a tight-knit family of experts, from our dedicated window design specialists to our professional installation team. Our aim is to transform your home with our custom designed window and door systems. Having spent considerable time refining our models, we now offer the most robust and stylish European window systems that are adapted to suit American environmental conditions.

As a family-run business, we believe in family-like care for our customers, and our installations come with a 5-year guarantee. Our customers are our greatest advertisement, and many new customers contact us having been recommended to Euro Window LLC by friends, family and neighbors. In addition to many testimonials, we receive from happy customers, our team would be delighted to introduce you to satisfied customers to hear in their words.




## **EURO WINDOW LLC**

374 Greenpoint Avenue  
Brooklyn NY 11222  
tel: 718-576-3182 - office  
tel: 917-717-1939 - direct  
e-mail: eurowindowllc@gmail.com  
website: [www.eurowindow.us](http://www.eurowindow.us)



## STANDARD VENEERS//




WHITE



SILVER



SONOMA



WALNUT

## PREMIUM VENEERS//



NEW! GRAY ASH



GRAY OAK



GRAPHITE



TRUFFLE



NEW! DARK CONCRETE



BLACK



GRAY



NORTH WALNUT



NEW! COUNTRY OAK



MOUNTAIN OAK



SCANDINAVIAN OAK



JAPANESE OAK

## NOTATION//




**REBATED DOOR**  
THE WING HAS A REBATE  
(INDENTATION, FITTING NOTCH)  
WHICH OVERLAPS THE DOOR FRAME.




**DESIGN: MDF**  
FRAME DOORS MADE OF HIGH  
QUALITY MDF BOARD.



**NON-REBATED DOORS**  
THE LEAF DOES NOT HAVE A REBATE  
DOOR LEAF WITH A FRAME  
CREATES A UNIFORM SURFACE.




**DESIGN: HONEYCOMB**  
PLATE FRAME, FILLED BY  
LAYER WITH "HONEYCOMB" STRUCTURE.




**SLIDING SYSTEM**  
POSSIBILITY OF APPLICATION  
IN A SLIDING SYSTEM.



**DESIGN: SOLID**  
DOUBLE PLATE FRAME,  
FILLED WITH SOFTENING BOARD  
SOLID CONSTRUCTION.



**DUO SLIDING SYSTEM**  
POSSIBILITY OF APPLICATION  
IN A SLIDING SYSTEM.



**DOOR WIDTH**  
WE MANUFACTURE OUR DOORS  
RANGE FROM 60 TO 90 CM.



## DOOR STRUCTURE//



## DOOR TYPES//




**DESIGN  
PRESTIGE**  
CONSTRUCTION  
MDF FRAME DOOR



**DESIGN  
SOLID**  
PLATE FRAME  
DOUBLE,  
FILLED WITH  
A SOFTENING  
PLATE



**DESIGN  
HONEYCOMB**  
PLATE FRAME FILLED  
BY THE LAYER WITH  
A "HONEYCOMB"  
STRUCTURE



PEGASUS



CHICAGO




MINORIS



PRIM



## CHICAGO//



**NEW!**




FULL

BATHROOM



ROOM

## CORVUS//



**NEW!**



FULL

BATHROOM



ROOM



## FUTURO//





ROOM



BATHROOM



ROOM



## MENSA//






ROOM




BATHROOM



FULL




## SYRIUSZ//



ROOM

## DRACO//



ROOM

## VIRGO//






ROOM



BATHROOM



FULL



## PRIM//







ROOM



BATHROOM




FULL






## MINORIS//



## APUS//



## DALIA//




ROOM



BATHROOM

FULL



**BESTSELLER**

## TRE//




ROOM



BATHROOM


FULL




**BESTSELLER**



## PEGASUS//



## CREDIS//





## TRAME//




ROOM



BATHROOM

FULL



## FIORE//




ROOM




BATHROOM


FULL



## LIMES//



## ELEGANCE//



**CLASSIC//**



ROOM



BATHROOM

**LYNX//**






ROOM



BATHROOM



FULL





## SERPENS//



ROOM



BATHROOM



FULL


## ROCATO//






ROOM



BATHROOM



FULL



**COLUMB//**



ROOM



BATHROOM



FULL

**MEMPHIS//**






ROOM



BATHROOM



FULL



**PRESTO//**



ROOM



BATHROOM



FULL

**KARINA//**






ROOM



BATHROOM







FULL











### OLGA//




### ZETA//



### TRIO//



## ALBATROS//



ROOM




BATHROOM



FULL

## ROCO//



ROOM




BATHROOM



FULL

## CERES//



ROOM








BATHROOM








FULL





## CERES 2//



## CANIS//



## WEGA//



FRAME MADE OF 44 THICK MDF BOARD.

"HONEYCOMB" STABILIZATION FILLING.

FRAME AND FILLING ARE COVERED WITH HDF BOARD FROM BOTH SIDES.

LEAF DOOR FRAME MADE OF PVC IN THE SAME COLOUR AS WOOD.



**ARIES //**



**DORADO //**



**GEMINI //**




**INDUS //**




## LACQUERED DOORS

WHITE DOORS ARE PERFECT FOR MODERN ARRANGEMENTS AS WELL AS CLASSIC CONSTRUCTION, WHICH MAKES THEM TIME-LESS. THE ADVANTAGES INCLUDE THEIR VERSATILITY AND EASY REPAIR OF DAMAGE.





## ORION SET//



**AVAILABLE WIDTHS:** 80, 90

### EQUIPMENT:

- FULL DOOR LEAF - REBATED SYSTEM WITH FIXED DOOR FRAME
- MDF BOARD STILE COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID BOARD.
- REINFORCEMENT WITH A STEEL FLAT BAR THICKNESS 4 MM.
- LEAF THICKNESS 46 MM.
- HDF BOARD COATED WITH VARNISH
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS FOR A PATENT INSERT
- 3 ANTI-BURGLARY BOLTS ON THE HINGE SIDE

**AVAILABLE COLOURS:**




WHITE PAINT



GRAY PAINT



## ANDROMEDA SET//



**AVAILABLE WIDTHS:** 80, 90.

### EQUIPMENT:

- FULL DOOR LEAF - REBATED SYSTEM WITH FIXED DOOR FRAME
- FRAME DOOR FROM MDF BOARD COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID SOUNDPROOFING BOARD.
- STEEL FLAT BAR REINFORCEMENT 4 MM.
- LEAF THICKNESS 46 MM.

- HDF BOARD COVERED WITH FINISH FOIL
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS IN A SINGLE KEY SYSTEM
- 3 ANTI-BURGLING BOLTS ON THE HINGE SIDE
- SET OF HANDLES WITH SLABS
- PANORAMIC VIEWFINDER.


ANDROMEDA INTERIOR DOOR CHARACTERIZES BY SIMPLE AND TIMELESS FORM. THIS MODEL IS DESIGNED FOR ALL KIND OF OFFICES AND OTHER SPACES.

THEY WILL PERFECTLY FITS IN THE ROOMS IN WHICH IS CONDUCTED SERVICE ACTIVITIES. SOLID WORKMANSHIP THIS IS ONLY ONE OF THE MANY ADVANTAGES.

DOORS RECOMMENDED FOR USE AS ENTRANCE FROM STAIRWAY TO FLATS.



## CALISTO//



**AVAILABLE WIDTHS:** 80, 90

### EQUIPMENT:

- FULL DOOR LEAF - REBATED SYSTEM
- MDF BOARD STILE COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID SOURCE BOARD.
- LEAF THICKNESS 40 MM.

- HDF BOARD COVERED WITH FINISH FOIL
- 3 SILVER HINGES
- 2 LOCKS FOR A PATENT INSERT





## ARA SET / TEA SET //




ARA SET MOUNTAIN OAK



TEA SET COUNTRY OAK



SOUNDPROOF  
32 DB



AVAILABLE WIDTHS: 80, 90.

### EQUIPMENT:

- FULL DOOR LEAF - REBATED SYSTEM WITH FIXED DOOR FRAME
- FRAME DOOR FROM MDF BOARD COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID SOUNDPROOFING BOARD.
- STEEL FLAT BAR REINFORCEMENT 4 MM.
- LEAF THICKNESS 46 MM.
- HDF BOARD COVERED WITH FINISH FOIL
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS IN A SINGLE KEY SYSTEM
- 3 ANTI-BURGLING BOLTS ON THE HINGE SIDE



## FIXED DOOR FRAMES //




### DESIGN

DOOR FRAME MADE OF MDF.  
 IT CONSISTS OF MAIN BEAMS:  
 A HORIZONTAL ONE AND TWO VERTICAL  
 ONES.  
 A CUSTOMER CAN EQUIP A FIXED DOOR  
 FRAME WITH MASKING STRIP AND  
 QUARTER ROUNDS IN VARIOUS CO-  
 LOURS.

### ACCESSORIES INCLUDED:


- TWO HINGES - SOFT FIXED
- THREE HINGES - PRESTIGE FIXED
- RUBBER GASKET ALONG DOOR FRAME PERIMETER



ALL TYPES OF DOOR FRAMES ARE  
 MANUFACTURED AND DELIVERED TO A  
 CUSTOMER AS A SET OF ELEMENTS  
 TO BE ASSEMBLED IN AN INSTALLA-  
 TION LOCATION




FIXED DOOR FRAME



MASKING STRIP



QUARTER ROUND



### DIMENSIONS OF THE DOOR AND THE FIXED FRAME

DOOR		"60"	"70"	"80"	"90"	"100"
S	DOOR WIDTH	644	744	844	944	1044
A	WIDTH OF THE OPENING IN THE WALL	717	817	917	1017	1117
B	EXTERNAL WIDTH IN THE FRAME	687	787	887	987	1087
C	CLEAR WIDTH OF THE FRAME	599	699	799	899	999
D	WIDTH OF THE DOOR FRAME WITH A MASKING STRIP	790	890	990	1090	1190
W1	DOOR HEIGHT	2040				
W2	HEIGHT OF THE OPENING IN THE WALL	2085				
W3	EXTERNAL HEIGHT OF THE FRAME	2070				
W4	CLEAR HEIGHT OF THE FRAME	2026				
W5	HEIGHT OF THE DOOR FRAME WITH A MASKING STRIP	2120				

## PANEL DOOR FRAME//



### DESIGN

A DOOR FRAME BODY CONSISTS OF 22 MM THICK MDF BOARD. THE FRONT PART (FROM A DOOR SIDE) AND THE ADJUSTING PART ARE MADE OF FLAT ANGLE STRIPS. THE AFORESAID ELEMENTS ARE COVERED WITH A CORRECT VENEER TYPE. THE PRODUCT ALLOWS TO CHANGE WIDTH BY UP TO 20 MM AND VARIOUS RANGES ALLOW TO EMBED IT WITHIN A 80-360 MM THICK WALL. EACH PANEL DOOR FRAME CAN BE EQUIPPED WITH A THIRD HINGE.

### APPLICATION

PANEL DOOR FRAMES CAN BE USED WITH:

- TWO SCREWED HINGES: ALL INTERIOR REBATED LACQUERED AND FOILED DOOR, EXCEPT FROM "CALISTO"
- THREE SCREWED HINGES: ALL MODULAR DOORS



### REBATED DOORS

#### ADJUSTMENT RANGE (MM)

80	100	140	180	220	240	280	320
100	140	180	220	240	280	320	360

### NON-REBATED DOORS

#### ADJUSTMENT RANGE (MM)

80	95	115	135	155	175	...	335
95	115	135	155	175	195	...	355

### A PANEL DOOR FRAME CONSISTS OF:


A SET OF RIGHT OR LEFT VERTICAL BASES (DEPENDING ON A DOOR OPENING DIRECTION) WITH MASKING ELEMENTS, HINGES, DOOR GASKET, ACCESSORIES NEEDED TO ASSEMBLE A DOOR FRAME AND AN UPPER HORIZONTAL BEAM ADJUSTED TO A DOOR LEAF WIDTH, INCLUDING MASKING ELEMENTS. A DOOR FRAME IS PACKED IN CARDBOARD BOXES (AN UPPER HORIZONTAL BEAM IS PLACED IN A SEPARATE BOX, AS WELL AS WIDENING PANELS INCLUDED IN SETS LARGER THAN THE 180-200 MM RANGE).

### DIMENSIONS OF THE DOOR AND PANEL FRAME

DOOR	"60"	"70"	"80"	"90"	"100"
S DOOR WIDTH	644	744	844	944	1044
C WIDTH OF THE OPENING IN THE WALL	677	777	877	977	1077
B EXTERNAL WIDTH IN THE FRAME	642	742	842	942	1042
A CLEAR WIDTH OF THE FRAME	599	699	799	899	999
D DOOR FRAME COVERING WIDTH	742	842	942	1042	1142
W1 DOOR HEIGHT	2040				
W2 HEIGHT OF THE OPENING IN THE WALL	2062				
W3 EXTERNAL HEIGHT OF THE FRAME	2047				
W4 CLEAR HEIGHT OF THE FRAME	2024				
W5 FRAME COVER HEIGHT	2097				

### DIMENSIONS OF THE DOOR AND PANEL FRAME - NON-REBATED DOORS

DOOR	"60"	"70"	"80"	"90"	"100"
S DOOR WIDTH	644	744	844	944	1044
C WIDTH OF THE OPENING IN THE WALL	706	806	906	1006	1106
B EXTERNAL WIDTH IN THE FRAME	666	766	866	966	1066
A CLEAR WIDTH OF THE FRAME	623	723	823	923	1023
D DOOR FRAME COVERING WIDTH	766	866	966	1066	1166
W1 DOOR HEIGHT	2040				
W2 HEIGHT OF THE OPENING IN THE WALL	2075				
W3 EXTERNAL HEIGHT OF THE FRAME	2060				
W4 CLEAR HEIGHT OF THE FRAME	2036				
W5 FRAME COVER HEIGHT	2110				





## PANEL CHANNEL//

### DESIGN

A PANEL CHANNEL IS THE PRODUCT DESIGNED FOR DECORATIVE COVERAGE OF A SPACE IN A WALL OR AS AN OPTIONAL SOLUTION FOR A WALL SLIDING SYSTEM. PRODUCT DESIGN IS VERY SIMILAR TO A PANEL DOOR FRAME, HOWEVER IT HAS NO HINGES AND A LOCK BRACKET. THE BODY IS MADE OF 22 MM THICK MDF PANEL. THE FRONT AND ADJUSTING PARTS ARE MADE OF FLAT ANGLE STRIPS. THE AFORESAID ELEMENTS ARE COVERED WITH A CORRECT VENEER TYPE. THE PRODUCT ALLOWS TO CHANGE WIDTH BY UP TO 20 MM AND VARIOUS RANGES ALLOW TO EMBED IT WITHIN A 80-360 MM THICK WALL.

### APPLICATION

A PANEL CHANNEL CAN BE USED AS:

- A SEPARATE PRODUCT TO COVER A SPACE IN A WALL
- AN OPTIONAL SOLUTION FOR A WALL SLIDING SYSTEM



ADJUSTMENT RANGE (MM)

80	100	140	180	220	240	280	320
100	140	180	220	240	280	320	360

### A PANEL CHANNEL CONSISTS OF

A SET OF RIGHT OR LEFT VERTICAL BASES (DEPENDING ON A DOOR OPENING DIRECTION) WITH MASKING ELEMENTS, HINGES, DOOR GASKET, ACCESSORIES NEEDED TO ASSEMBLE A DOOR FRAME AND AN UPPER HORIZONTAL BEAM ADJUSTED TO A DOOR LEAF WIDTH, INCLUDING MASKING ELEMENTS.


A CHANNEL IS PACKED IN CARDBOARD BOXES (AN UPPER HORIZONTAL BEAM IS PLACED IN A SEPARATE BOX, AS WELL AS WIDENING PANELS INCLUDED IN SETS LARGER THAN THE 180-200 MM RANGE).

## BASEBOARD//



### AVAILABLE BASEBOARD :

- 2050 X 80 X 14 MM.
- 2050 X 100 X 14 MM



## SLIDING SYSTEM//



### WALL SLIDING SYSTEM

THIS SOLUTION ALLOWS FOR EASY ASSEMBLY OF A LEAF IN ROOMS WHERE WE CANNOT OR DO NOT WANT TO USE TRADITIONAL DOORS. A DOOR LEAF IS MOVED ON ALUMINUM GUIDES MOUNTED ABOVE A DOOR SPACE. THE SLIDING SYSTEM IS A SINGLE-TYPE SYSTEM.



### A SLIDING SYSTEM CONSISTS OF:

- ALUMINUM GUIDE WITH ROLLERS AND FIXING ELEMENTS
- SPACING BOARD
- CURTAIN ROD COVER IN THE SAME COLOUR AS A LEAF
- BUMPER BEAM IN THE SAME COLOUR AS A LEAF



### WALL SLIDING SYSTEM DUO

MULTI DUO SLIDING DOORS ARE THE PERFECT SOLUTION FOR PEOPLE WHO RELY ON OPTIMUM USE OF APARTMENT SPACE. APPLIED IN OUR DOORS THE DUO SLIDING SYSTEM THANKS TO USE OF THE SIMPLE AND FAULT-FREE TECHNOLOGY ENABLES EXPANSION AND CLOSING BOTH DOOR LEAVES AT ONCE, WITHOUT NECESSITY TO MOVE EACH LEAF SEPARATE.

## DUO SLIDING SYSTEM//



HOOK LOCK  
ADDITIONAL FEE



### ■ A SLIDING SYSTEM CONSISTS OF:

- ALUMINUM GUIDE WITH ROLLERS AND FIXING ELEMENTS
- SPACING BOARD
- CURTAIN ROD COVER IN THE SAME COLOUR AS A LEAF
- BUMPER BEAM IN THE SAME COLOUR AS A LEAF

■ A SLIDING SYSTEM IS USED TOGETHER WITH A NON-REBATED DOOR LEAF WITH WIDTHS OF 60,70,80 AND 90. ALL LEAVES PRESENTED IN THE CATALOGUE CAN BE USED WITH THE SYSTEM EXCEPT THE MODELS OF CALISTO AND WEGA.

## LAMELLA PANELS//


THE 3L LAMELLA PANEL CONSISTS OF THREE  
 28 X 34 MM LAMELLAS ATTACHED TO A BLACK  
 OR WHITE BOARD WITH DIMENSIONS  
 3 X 168 X 2750 MM.

### SYSTEM ELEMENTS:

3L LAMELLA PANEL  
 37 X 178 X 2750 MM

LAMEL SET (START+END)  
 37 X 84 X 2750 MM

SINGLE LAMELLA  
 34 X 28 X 2750 MM





# About our products

We specialize in ultra-energy-efficient uPVC windows and doors that are thermally economical, maintenance-free, and engineered to last. We provide high-quality windows and doors for residential and commercial customers in New York, New Jersey, Connecticut, Pennsylvania, Massachusetts, and other states.

Our windows and doors come in double- and triple-glazed thickness levels. We offer a variety of glass types, including Clear, Tempered, Solarban-60, Acid Wash, Laminated, Tinted, Mirropane, and more. Whatever you may be searching for, Euro Window LLC aims to have the solution at an affordable price. Request a free quote today!



## EURO WINDOW LLC

374 Greenpoint Avenue  
Brooklyn NY 11222  
tel: 718-576-3182 - office  
tel: 917-717-1939 - direct  
e-mail: eurowindowllc@gmail.com  
website: www.eurowindow.us



## OUR DISTRIBUTORS

We cooperate with local distributors:  
JP Houser Choice - Pennsylvania  
tel: 570-664-8558  
e-mail: office@jphouserchoice.com  
website: www.houserchoice.com